

Honda Pioneer Front Brush Guard with winch Mount

P/N: EMP-12493

Fits: 2014 Pioneer and Pioneer-4

Includes:

1. (1) 11899 Front Bumper
2. (2) Side Brackets (Driver and Passenger)
3. (1) Bash Plate


Hardware Kit:


1. (1) Logo Sticker
2. (17) 3/8" x 1" Black Carriage Bolts
3. (17) 3/8" Nyloc Flange Nuts
4. (4) 5/16 x 2-1/2" Hex Flange Bolt
5. (4) 5/16 Nyloc Nut
6. (4) 5/16 Washers

If you want to mount your winch behind the bumper you would need our optional winch mount EMP P/N:12437. Nothing else will be needed to mount it on top except your fairlead bracket that should come with your winch. If not refer to EMP P/N: 10906 Fairlead Bracket.

Installation:

1. Remove your stock bumper. There will be two small bolts on the bottom, two large bolts on the sides near the bottom (one per side) and four 2" long bolts on the top (two per side). Save the bolts. You will use these to mount your new bumper.
2. Install the new side brackets using the four 2-1/2" long bolts (see the assembly picture). Do not tighten yet.
3. If you are going to mount your winch on the top. We recommend bolting it to your bumper before installing the bumper. It just makes it easier. Refer to your instructions that came with your winch for installation and wiring.
4. Bolt the bumper to the side brackets using the 3/8" carriage bolts and nylon nuts. Do not tighten yet.
5. Bolt the bash plate to the bumper and side brackets using the remaining seven 3/8" carriage bolts and nylon nuts. Bolt the bottom of the bash plate to the underside of your Pioneer with the two small stock bolts.





If you want to mount your winch behind the bumper you will need the optional winch mount EMP P/N: 12437. Refer to the directions that come with the winch mount and the pictures below. The directions are for mounting it to the stock bumper but it will bolt the same way to your new bumper too.



